


blue is efficient

Programs for the acquisition of more efficient equipments

- Commercial
- Institutional
- Industrial
- 4 apartments or more



Condensing
boilers and
Direct contact
water heaters

End use objectives:
heating and processes

The condensing unit features a heat exchanger made of impervious materials (stainless steel) as well as optimum heat exchanger between combustion gases and the water to be heated. It is designed to condense water contained in combustion products and recover some of the latent heat in those products.

The direct contact water heater features direct contact between the flame, the combustion products and the water to be heated as well as very high levels of energy efficiency.

AUTHORIZED MINIMUM EFFICIENCY

Combustion efficiency or AFUE: 80 %

Minimum efficiency for Gaz Métro programs:

- < 300 000 Btu/hr AFUE = 90 % ¹
- ≥ 300 000 Btu/hr Thermal or combustion efficiency = 90 % ¹

¹ Appliances with a secondary heat exchanger with an optional hook-up are eligible for financial assistance through the Intermediate efficiency boiler (85%+) program.

To be eligible for this financial incentive, the appliances must be installed on a low temperature network (< 160 °F [70 °C]).

FINANCIAL INCENTIVES

Heating or processes applications $\leq 75\,000\text{ m}^3$			Heating or processes applications $> 75\,000\text{ m}^3$	
Volume of air to be heated (ft ³)	Consumption (m ³ per appliance)	Financial incentive	Appliance capacity	Financial incentive
$\leq 69\,999$	$\leq 9\,999$	\$1,200	0 to 300 000 Btu/hr	\$1,200
70 000 to 79 999	10 000 to 11 999	\$3,000	300 001 to 325 000 Btu/hr	\$3,000
80 000 to 89 999	12 000 to 13 999	\$4,000	325 001 to 375 000 Btu/hr	\$4,000
90 000 to 99 999	14 000 to 15 999	\$5,000	375 001 to 450 000 Btu/hr	\$5,000
100 000 to 109 999	16 000 to 17 999	\$6,000	450 001 to 550 000 Btu/hr	\$6,000
110 000 to 124 999	18 000 to 19 999	\$6,000	550 001 to 650 000 Btu/hr	\$7,000
125 000 to 139 999	20 000 to 21 999	\$7,000	650 001 to 725 000 Btu/hr	\$8,000
140 000 to 154 999	22 000 to 23 999	\$8,000	725 001 to 900 000 Btu/hr	\$9,000
155 000 to 169 999	24 000 to 25 999	\$8,000	900 001 to 1 100 000 Btu/hr	\$10,000
170 000 to 184 999	26 000 to 27 999	\$9,000	1 100 001 to 1 300 000 Btu/hr	\$11,500
185 000 to 199 999	28 000 to 29 999	\$9,000	1 300 001 to 1 700 000 Btu/hr	\$13,500
200 000 to 219 999	30 000 to 31 999	\$9,000	1 700 001 to 2 000 000 Btu/hr	\$15,000
220 000 to 239 999	32 000 to 33 999	\$10,000	2 000 001 to 2 500 000 Btu/hr	\$16,500
240 000 to 269 999	34 000 to 35 999	\$10,000	2 500 001 to 3 000 000 Btu/hr	\$18,500
270 000 to 299 999	36 000 to 39 999	\$10,000	3 000 001 Btu/hr or more	\$20,000
300 000 to 339 999	40 000 to 44 999	\$11,500		
340 000 to 389 999	45 000 to 49 999	\$13,500		
390 000 to 439 999	50 000 to 54 999	\$13,500		
440 000 to 494 999	55 000 to 59 999	\$13,500		
495 000 to 545 999	60 000 to 64 999	\$15,000		
546 000 to 597 999	65 000 to 69 999	\$15,000		
598 000 to 650 999	70 000 to 74 999	\$16,500		
651 000 to 705 000	75 000	\$16,500		

The financial incentive is based upon the volume of air to be heated or the consumption, per appliance (the lesser of the two amounts). Consumption in m³ is based on 1200 hours of appliance use. If more than one unit with a capacity less than 300 000 Btu/hr is installed for the same purpose, the financial incentive is based upon the total capacity installed.

To take advantage of this amount, the client must sign a standard contract ($> 75\,000\text{ m}^3$) with their sales representative or conclude a simplified contract ($\leq 75\,000\text{ m}^3$) with a Gaz M tro certified contractor (Gaz M tro Authorized Partner Program).

This financial incentive is applicable supplementary to the CSP/RCSP and can also be applied to retain existing customers. The total amount of the incentives must not exceed admissible expenses. Amounts are subject to change without prior notice.

To consult the eligible equipment for this program we invite you to look at the Internet link of Energy Star:

http://oee.nrcan.gc.ca/energystar/english/consumers/gasfired_boilers.cfm

N.B. The list available on the Energy Star site includes appliances with an AFUE rating greater than 90%. These appliances are not subject to the above financial incentive table, but rather to the table for the condenser boiler program. Please refer to this program to determine the financial incentive amount allocated.

Equipment list

Condensing boilers and Direct contact water heaters

Condensing boilers

→ Aerco

Model no:
BENCHMARK 2.0 BMK GWB
KC-1000 KC GWB

→ A.O. Smith

Model no:
LEGEND 2000 LB-1000-980
LEGEND 2000 LB-(500-750)-(300-990)

→ Buderus

Model no:
SB615/(145-640)
SB735/(790, 970, 1200)

→ Camus Hydronics Ltd.

Model no:
DYNAFLAME DFNH(500-3000)EC
MICOFLAME MFNH(400-4000)EC

→ Cleaver Brooks

Model no:
CLEARFIRE MCF-700-(750, 1000, 1500, 1800)

→ Fulton

Model no:
PHW(300)

→ Gasmaster

Model no:
GMI B (300, 400, 600, 800, 1M, 1.5M, 2M, 4M)
GMI LS 1M

→ Laars Heating Systems

Model no:
RHEOS+ RHHH (1200, 1600, 2000, 2400)

→ Lochinvar

Model no:
INTELLI-FIN IBN (1500, 1700, 2000)
KBN (399, 500)

→ Patterson-Kelley

Model no:
MACH (C-300, C-450, C-750, C-900, C-1050)

→ Raypak

Model no:
ADVANCED DESIGN BOILER ADB-500 CHX

→ Viessmann

Model no:
VERTOMAT VSB (08, 10, 13, 17, 22, 28, 37, 46, 57, 72, 89)

→ Weben Jarco

Model no:
VISION 3000 VJHWP-075

→ Weil-McLain

Model no:
ULTRA 310

Direct contact water heaters

→ Armstrong

Model no:
FLO-DIRECT AFD(1000-25000)

→ Kemco

Model no:
TE 100

→ Ludell

Model no:
DC(400-1500)

→ Sofame technologies inc.

Model no:
HYBRIDE PERCOMTHERM
PERCOMAX
ULTRA-HAUTE EFFICACITÉ